


NICOLA X IMPALA





Characteristics		Resistant to/tolerant	
Maturity	8	PCN Ro 1	very resistant
Foliage development	6	PCN Pa 2+3	susceptible
Dormancy	7	Leaf blight	5
Colour of skin	G	Tuber blight	7
Colour of flesh	G	Early blight	4
Yield	7	Common sca	ab 5,5
Shape uniformity	8	Wart disease	e race 1 resistant
Size of tubers	7	PVY (leaf resis.) mod. susceptible	
Shape of tubers	O-LO		
Shallowness of eyes	7	Crop protection	
Cooking type	AB	Metribuzin	mod. susceptible
% D.M.	19,2	CIPC	susceptible
Harvest damage	7		
Black spot	8		
Discol. after cooking	8		
French fries index	6		
Crisps index	6		





Comments

INOVA has a long dormancy and good storage capability. It is suitable for most soil types. It shows early tuber initiation. INOVA is high yielding provided that it receives sufficient fertilisation throughout the season. It responds well to extra foliage treatment. The skin sets fairly quickly and is less susceptible to harvest damage and Fusarium.

INOVA is a firm cooking table potato, full of flavour, grown mainly for the NW European market. This very early variety also gives good results in North Africa and the Middle East for re-export to Europe. It has long oval tubers with yellow flesh and yellow skin.



Seeding the future since 1856

22 23